

References:

Peer Reviewed Journal Articles Supporting At-home Uroflowmetry

- 1.) Summers SJ, Armstrong JM, Kaplan SA, Te AE, Le A, Heiner SM, Presson AP, Wei G, Hotaling JM. Male Voiding Behavior: Insight from 19,824 At-Home Uroflow Profiles, *The Journal of Urology*[®], doi: 10.1097/JU.0000000000001504 Vol. 205, 1126-1132, April 2021
- 2.) Chandrapal J, Bowen RC, Patel DP, Le A, Hotaling JM, Southwick AW. High Rates of Inadequate Urine Volume Cause Failure of Clinic Based Uroflowmetry in Men with Lower Urinary Tract Symptoms, *UROLOGY PRACTICE* <http://dx.doi.org/10.1016/j.urpr.2015.08.003> Vol. 3, 247-250, July 2016
- 3.) Sonke GS, Kiemeny LA, Verbeek AL, Kortmann BB, Debruyne FM, de la Rosette JJ. Low reproducibility of maximum urinary flow rate determined by portable flowmetry. *Neurourol Urodyn.* 1999;18(3):183-191.
- 4.) Boci R, Fall M, Walden M, Knutson T, Dahlstrand C. Home Uroflowmetry: Improved Accuracy in Outflow Assessment. *Neurourol Urodyn* 18:25–32 (1999)
- 5.) Barry M, Girman C, O'leary M, Walker-Corkery E, Binkowitz B, Cockett A, Guess H, The Benign Prostatic Hyperplasia Treatment Outcomes Study Group. Using Repeated Measures of Symptom Score, Uroflowmetry and Prostate Specific Antigen In The Clinical Management of Prostate Disease. *The Journal of Urology*[®] Vol. 153, 99-103, January 1995
- 6.) Kato S, Watanabe H, Yamasue K. Freeflow: The novel portable uroflowmeter can help to realize practical urinary conditions at home, *WILEY Lower Urinary Tract Symptoms.* 2022;14:208–213, DOI: 10.1111/luts.12426